

Mistletoe therapy and Cancer – an Overview 2014

Mistletoe extracts (*Viscum album* L., VAE) are among the most widely used integrative cancer care treatments, particularly in Europe [1-5]. They are an old herbal remedy [6,7] and were introduced as cancer treatment in 1920 by Rudolf Steiner and Ita Wegman, founders of Anthroposophic Medicine [8]. *Viscum album* is a hemiparasitic shrub, growing on different host trees. Different preparations are available for the treatment of cancer (currently Abnobaviscum[®], Helixor[®], Iscador[®], Iscucin[®] and Lektinol[®]). They are available from different host trees such as oak, apple, pine and many others. They are applied parenteral, particularly subcutaneous, but also intravenous, intratumoural, intrapleural, intraperitoneal and other sites.

Several pharmacologically active compounds have been isolated from VAE, such as mistletoe lectins (ML I, II and III) [9], viscotoxins [10,11], oligo- and polysaccharides [12,13], lipophilic extracts [14] and various others [6,7]. The most prominent properties of VAE are their cytotoxic and growth-inhibiting effects, *in vitro*, on a variety of human tumour cell lines, lymphocytes and fibroblasts [6,7]. The cytotoxic effects of VAE are mainly due to the apoptosis-inducing mistletoe lectins [15-17], while the viscotoxins induce necrotic cell death [16,18]. VAE are also recognized for their immune-modulating activity: *In vitro* and *in vivo* studies have demonstrated activation of monocytes/macrophages, granulocytes, natural killer (NK) cells, T-cells (especially T-helper-cells) and the induction of various cytokines [6,7]. VAE also possess DNA stabilizing properties, they reduce chromosome damage and improve DNA repair [19-22]. VAE show antiangiogenic effects [23]. In animals, VAE displays potent antitumour effects when administered either directly into the tumour or systemically [6,7,24].

Clinical effectiveness of mistletoe extracts in cancer has been investigated in a great number of studies, among these 43 prospective randomized controlled trials [25-71]: They predominantly report significant clinical benefits. With regard to quality of studies and consistency of results, the best evidence concerning efficacy of mistletoe therapy exists for the improvement of *quality of life* and *improved tolerability of cytoreductive therapies* (chemotherapy, radiotherapy, surgery) [72,73]. Regarding *survival*, a well-designed randomized controlled trial has recently shown a highly significant benefit in advanced pancreatic cancer [26]. Other studies showed similar results [74-77]. Effectiveness seems to depend on the duration of the mistletoe therapy, in addition to factors relating to dosage, host tree and choice of preparation. *Tumour remissions* have been repeatedly observed after local application of high dose mistletoe extracts. This finding is consistent with the preclinical research on cytotoxicity and treatment of tumors in animals. During customary low-dose mistletoe therapy, tumour remissions are rare exceptions. Tumor remissions have therefore been reported primarily in case series and single cases. (e.g. [24,78-87])

According to highly experienced practitioners much improved outcomes are possible, with highly individualized and comprehensive treatment schedules – individually adjusted and with selected dosage, preparation, host tree, injection site, rhythm of administration, and supplementation with other interventions.. This still needs to be investigated. [88,89]

Clinical application of mistletoe extracts is safe, even in high dosages [6,8,90-93].

Enclosed, exemplary literature:

1. Tröger W, Galun D, Reif M, Schumann A, Stankovic N, Milicevic M: **Quality of life of patients with advanced pancreatic cancer during treatment with mistletoe—a randomized controlled trial.** *Dtsch Arztebl Int* 2014, **111**:493-502
<http://www.aerzteblatt.de/pdf.asp?id=161151>
2. Tröger W, Galun D, Reif M, Schumann A, Stankovic N, Milicevic M: **Viscum album [L.] extract therapy in patients with locally advanced or metastatic pancreatic cancer: a randomised clinical trial on overall survival.** *Eur J Cancer* 2013, **49**:3788-3797
<http://www.ejancer.com/article/S0959-8049%2813%2900550-9/pdf>
3. Mansky PJ, Wallerstedt DB, Sannes TS, Stagl J, Johnson LL, Blackman MR, Grem JL, Swain SM, Monahan BP: **NCCAM/NCI Phase 1 Study of Mistletoe Extract and Gemcitabine in Patients with Advanced Solid Tumors.** *Evidence-Based Complementary and Alternative Medicine* 2013, **2013**: 964592
<http://www.hindawi.com/journals/ecam/2013/964592/>
4. Mabed M, El-Helw L, Sharma S: **Phase II study of viscum fraxini-2 in patients with advanced hepatocellular carcinoma.** *Br J Cancer* 2004, **90**:65-69
<http://www.nature.com/bjc/journal/v90/n1/full/6601463a.html>
5. Piao BK, Wang YX, Xie GR, Mansmann U, Matthes H, Beuth J, Lin HS: **Impact of complementary mistletoe extract treatment on quality of life in breast, ovarian and non-small cell lung cancer patients. A prospective randomized controlled clinical trial.** *Anticancer Res* 2004, **24**:303-309
<http://ar.iiarjournals.org/content/24/1/303.full.pdf>
6. Semiglasov VF, Stepula VV, Dudov A, Schnitker J, Mengs U: **Quality of life is improved in breast cancer patients by Standardised Mistletoe Extract PS76A2 during chemotherapy and follow-up: a randomised, placebo-controlled, double-blind, multicentre clinical trial.** *Anticancer Res* 2006, **26**:1519-1530
<http://ar.iiarjournals.org/content/26/2B/1519.full.pdf>
7. Kienle GS, Grugel R, Kiene H: **Safety of higher dosages of *Viscum album* L. in animals and humans - systematic review of immune changes and safety parameters.** *BMC Complement Altern Med* 2011, **11**:72
<http://www.biomedcentral.com/content/pdf/1472-6882-11-72.pdf>
8. Kienle GS, Glockmann A, Schink M, Kiene H: ***Viscum album* L. extracts in breast and gynaecological cancers: a systematic review of clinical and preclinical research.** *Journal of Experimental & Clinical Cancer Research: CR* 2009, **28**:79
<http://www.biomedcentral.com/content/pdf/1756-9966-28-79.pdf>
9. Kienle GS, Kiene H: **Complementary cancer therapy: a systematic review of prospective clinical trials on anthroposophic mistletoe extracts.** *Eur J Med Res* 2007, **12**:103-119
http://www.daig-net.de/site-content/die-daig/fachorgan/2007-1/ejomr-2007_3-pdfs/S.103_Kienle.pdf
10. Kienle GS, Kiene H: **Influence of *Viscum Album* L (European Mistletoe) Extracts on Quality of Life in Cancer Patients: A Systematic Review of Controlled Clinical Studies.** *Integr Cancer Ther* 2010, **9**:142-157
<http://ict.sagepub.com/content/9/2/142.long>

Reference List

1. Molassiotis A, Fernandez-Ortega P, Pud D, Ozden G, Scott JA, Panteli V, Margulies A, Browall M, Magri M, Selvekerova S, Madsen E, Milovics L, Bruyns I, Gudmundsdottir G, Hummerston S, Ahmad AM, Platin N, Kearney N, Patiraki E: **Use of complementary and alternative medicine in cancer patients: a European survey.** *Ann Oncol* 2005, **16**:655-663
2. Weis J, Bartsch HH, Hennies F, Rietschel M, Heim M, Adam G, Gärtner U, Ammon A: **Complementary medicine in cancer patients: demand, patients' attitudes and psychological beliefs.** *Onkologie* 1998, **21**:144-149
3. Petru E, Schmied P, Petru C: **Komplementäre Maßnahmen bei Patientinnen mit gynäkologischen Malignomen unter Chemo- und Hormontherapie - Bestandsaufnahme und kritische Überlegungen für die Praxis.** *Geburtshilfe Frauenheilkd* 2001, **61**:75-78
4. Längler A, Spix C, Seifert Ge, Gottschling S, Graf N, Kaatsch P: **Complementary and alternative treatment methods in children with cancer: A population-based retrospective survey on the prevalence of use in Germany.** *Eur J Cancer* 2008, **44**:2233-2240
5. Fasching PA, Thiel F, Nicolaisen-Murmann K, Rauh C, Engel J, Lux MP, Beckmann MW, Bani MR: **Association of complementary methods with quality of life and life satisfaction in patients with gynecologic and breast malignancies.** *Support Care Cancer* 2007, **55**:1277-1284
6. Kienle GS, Kiene H: *Die Mistel in der Onkologie - Fakten und konzeptionelle Grundlagen.* Stuttgart, New York: Schattauer Verlag 2003
7. Büssing A, (ed.): *Mistletoe. The Genus Viscum.* Amsterdam: Hardwood Academic Publishers 2000
8. Kienle GS, Kiene H, Albonico HU: *Anthroposophic Medicine: Effectiveness, Utility, Costs, Safety.* Stuttgart, New York: Schattauer Verlag 2006
9. Franz H, Ziska P, Kindt A: **Isolation and properties of three lectins from mistletoe (*Viscum album* L.).** *Biochem J* 1981, **195**:481-484
10. Winterfeld K, Bijnen AB: **Viscotoxin, ein neuer Inhaltsstoff der Mistel (*Viscum album* L.).** *Liebigs Ann Chem* 1948, **561**:107-115
11. Winterfeld K, Kronenthaler A: **Zur Chemie des blutdrucksenkenden Bestandteils der Mistel. (*Viscum album*).** *Arch Pharm* 1942, **280**:103-115
12. Mueller EA, Anderer FA: **A *Viscum album* oligosaccharide activating human natural cytotoxicity is an interferon gamma inducer.** *Cancer Immunol Immunother* 1990, **32**:221-227
13. Klett CY, Anderer FA: **Activation of natural killer cell cytotoxicity of human blood monocytes by a low molecular weight component from *Viscum album* extract.** *ArzneimForsch/DrugRes* 1989, **39 (II)**:1580-1585
14. Urech K, Scher JM, Hostanska K, Becker H: **Apoptosis inducing activity of viscin, a lipophilic extract from *Viscum album* L. J Pharm Pharmacol** 2005, **57**:101-109
15. Büssing A: **Induction of apoptosis by the mistletoe lectins: a review on the mechanisms of cytotoxicity mediated by *Viscum album* L.** *Apoptosis* 1996, **25**-32
16. Büssing A, Vervecken W, Wagner M, Wagner B, Pfüller U, Schietzel M: **Expression of mitochondrial Apo2.7 molecules and Caspase-3 activation in human lymphocytes treated with the ribosome-inhibiting mistletoe lectins and the cell membrane permeabilizing viscotoxins.** *Cytometry* 1999, **37**:133-139
17. Janssen O, Scheffler A, Kabelitz D: **In vitro effects of mistletoe extracts and mistletoe lectins. Cytotoxicity towards tumor cells due to the induction of programmed cell death (apoptosis).** *ArzneimForsch/DrugRes* 1993, **43(II)**:1221-1227
18. Büssing A, Schaller G, Pfüller U: **Generation of reactive oxygen intermediates (ROI) by the thionins from *Viscum album* L.** *Anticancer Res* 1998, **18**:4291-4296
19. Büssing A, Azhari T, Ostendorp K, Lehnert A, Schweizer K: ***Viscum album* L. extracts reduce sister chromatid exchanges in cultured peripheral blood mononuclear cells.** *Eur J Cancer* 1994, **30A**:1836-1841
20. Büssing A, Jungmann H, Suzart K, Schweizer K: **Suppression of sister chromatid exchange-including DNA lesions in cultured peripheral blood mononuclear cells by *Viscum album* L.** *J Exp Clin Cancer Res* 1996, **15**:107-114
21. Büssing A, Regnery A, Schweizer K: **Effects of *Viscum album* L. on cyclophosphamide-treated peripheral blood mononuclear cells in vitro: sister chromatid exchanges and activation/proliferation marker expression.** *Cancer Lett* 1995, **199**-205
22. Kovacs E, Hajto T, Hostanska K: **Improvement of DNA repair in lymphocytes of breast cancer patients treated with *Viscum album* extract (Iscador).** *Eur J Cancer* 1991, **27**:1672-1676
23. Elluru SR, Van Huyen JPD, Delignat S, Prost F, Heudes D, Kazatchkine MD, Friboulet A, Kaveri SV: **Antiangiogenic properties of *Viscum album* extracts are associated with endothelial cytotoxicity.** *Anticancer Res* 2009, **29**:2945
24. Kienle GS, Glockmann A, Schink M, Kiene H: ***Viscum album* L. extracts in breast and gynaecologic cancers: A systematic review of clinical and preclinical research.** *J Exp Clin Cancer Res* 2009, **28**:doi:10.1186/1756-9966-28-79
25. Tröger W, Galun D, Reif M, Schumann A, Stankovic N, Milicevic M: **Quality of life of patients with advanced pancreatic cancer during treatment with mistletoe—a randomized controlled trial.** *Dtsch Arztebl Int* 2014, **111**:493-502
26. Tröger W, Galun D, Reif M, Schumann A, Stankovic N, Milicevic M: ***Viscum album* [L.] extract therapy in patients with locally advanced or metastatic pancreatic cancer: a randomised clinical trial on overall survival.** *Eur J Cancer* 2013, **49**:3788-3797
27. Gaafar R, Rahman A, Aboulkasem F, El Bastawisy A: **Mistletoe preparation (*Viscum Fraxini-2*) as palliative treatment for malignant pleural effusion: a feasibility study with comparison to bleomycin.** *Ecancermedicalscience* 2014, **8**:424

28. Bar-Sela G, Wollner M, Hammer L, Agbarya A, Dudnik E, Haim N: **Mistletoe as complementary treatment in patients with advanced non-small-cell lung cancer treated with carboplatin-based combinations: A randomised phase II study.** *Eur J Cancer* 2013, **49**:1058-1064
29. Grah C, Matthes B, Happel H, Lemmens H-P: **Randomisierte, offene Phase-II-Studie zur Untersuchung von Viscum album-Extrakt in der palliativen, additiven Behandlung des fortgeschrittenen nichtkleinzelligen Bronchialkarzinoms (NSCLC).** In: *Die Mistel in der Tumorthherapie 3. Aktueller Stand der Forschung und klinische Anwendung.* Edited by Scheer R, Alban S, Becker H, Blaschek W, Kreis W, Matthes H, Schilcher H, Stange R. Essen, KVC Verlag 2013, 389-401
30. Grah C: **Misteltherapie bei nichtkleinzelligem Bronchialkarzinom. Randomisierte, offene Phase-II-Studie zur Untersuchung der Verträglichkeit, Sicherheit und Wirksamkeit von Viscum-album-Extrakt in der palliativen, additiven Behandlung des fortgeschrittenen nichtkleinzelligen Bronchialcarcinom.** Dissertation an der Medizinischen Fakultät Charité, Freie Universität Berlin. *PhD Thesis.* 2010.
31. Longhi A, Mariani E, Kuehn JJ, Reif M: **A randomized study on post-relapse disease-free survival with adjuvant mistletoe versus oral Etoposide in osteosarcoma patients.** In: *Die Mistel in der Tumorthherapie 3. Aktueller Stand der Forschung und klinische Anwendung.* 5. edition. Edited by Scheer R, Alban S, Becker H, Blaschek W, Kemper FH, Kreis W, Matthes H, Schilcher H, Stange R. Essen, KVC Verlag 2013, 404-413
32. Kim KC, Yook JH, Eisenbraun J, Kim BS, Huber R: **Quality of life, immunomodulation and safety of adjuvant mistletoe treatment in patients with gastric carcinoma - a randomized, controlled pilot study.** *BMC Complement Altern Med* 2012, **12**:172
33. Grossarth-Maticek R, Ziegler R: **Kontrollierte Studien zur präventiven Misteltherapie bei Myomen, Endometriosen und Cervix Dysplasie.** In: *Die Mistel in der Tumorthherapie 2 - Aktueller Stand der Forschung und klinische Anwendung.* Edited by Scheer R, Alban S, Becker H, Holzgrabe U, Kemper FH, Kreis W, Matthes H, Schilcher F. Essen, KVC Verlag 2009, 537-550
34. Hekal IA, Samer T, Ibrahim EI: **Viscum Fraxini 2, as an adjuvant therapy after resection of superficial bladder cancer: Prospective clinical randomized study.** Presented at the 43rd Annual Congress of The Egyptian Urological Association in conjunction with The European Association of Urology November 10-14, 2008 Hurgada, Egypt. Abstract P8. 120.
35. Tröger W, Jezdic S, Ždrale Z, Tisma N, Hamre HJ, Matijasevic M: **Quality of Life and Neutropenia in Patients with Early Stage Breast Cancer: A Randomized Pilot Study Comparing Additional Treatment with Mistletoe Extract to Chemotherapy Alone.** *Breast Cancer* 2009, **3**:35-45
36. Tröger W, Zdrale Z, Tisma N, Matijasevic M: **Additional therapy with a mistletoe product during adjuvant chemotherapy of breast cancer patients improves quality of life.** *Evidence Based Complementary and Alternative Medicine* 2014, In press:
37. Tröger W, Zdrale Z, Stanković N, Matijassievic M: **Five-Year Follow-Up of patients with early stage Breast cancer After a Randomized study comparing Additional Treatment with Viscum Album (L.) extract to chemotherapy Alone.** *Breast Cancer* 2012, **6**:173
38. Büssing A, Brückner U, Enser-Weis U, Schnelle M, Schumann A, Schietzel M, Hatzmann W, Hackmann J: **Modulation of chemotherapy-associated immunosuppression by intravenous application of Viscum album L. extract (Iscador): a randomised phase II study.** *Eur J Integr Med* 2008, **1**:S44-S54
39. Grossarth-Maticek R, Ziegler R: **Randomized and non-randomized prospective controlled cohort studies in matched pair design for the long-term therapy of corpus uteri cancer patients with a mistletoe preparation (Iscador).** *Eur J Med Res* 2008, **13**:107-120
40. Grossarth-Maticek R, Ziegler R: **Prospective controlled cohort studies on long-term therapy of ovarian cancer patients with mistletoe (Viscum album L.) extracts Iscador.** *ArzneimForsch/DrugRes* 2007, **57**:665-678
41. Grossarth-Maticek R, Ziegler R: **Wirksamkeit und Unbedenklichkeit einer Langzeitbehandlung von Melanompatienten mit einem Mistelpräparat (Iscador®).** *Schweiz Z Ganzheitsmed* 2007, **19**:325-332
42. Grossarth-Maticek R, Ziegler R: **Prospective controlled cohort studies on long-term therapy of cervical cancer patients with a mistletoe preparation (Iscador®).** *Forsch Komplementmed* 2007, **14**:140-147
43. Schink M, Tröger W, Dabidian A, Goyert A, Scheuerercker H, Meyer J, Fischer IU, Glaser F: **Mistletoe extract reduces the surgical suppression of natural killer cell activity in cancer patients. A randomized phase III trial.** *Forsch Komplementmed* 2007, **14**:9-17
44. Grossarth-Maticek R, Ziegler R: **Prospective controlled cohort studies on long-term therapy of breast cancer patients with a mistletoe preparation (Iscador).** *Forsch Komplementmed* 2006, **13**:285-292
45. Auerbach L, Dostal V, Václavik-Fleck I, Kubista E, Rosenberger A, Rieger S, Tröger W, Schierholz JM: **Signifikant höherer Anteil aktivierter NK-Zellen durch additive Misteltherapie bei chemotherapierten Mamma-Ca-Patientinnen in einer prospektiven randomisierten doppelblinden Studie.** In: *Fortschritte in der Misteltherapie. Aktueller Stand der Forschung und klinischen Anwendung.* Edited by Scheer R, Bauer R, Becker H, Fintelmann V, Kemper FH, Schilcher H. Essen, KVC Verlag 2005, 543-554
46. Enesel MB, Acalovschi I, Grosu V, Sbarcea A, Rusu C, Dobre A, Weiss T, Zarkovic K: **Perioperative application of the Viscum album extract Isorel in digestive tract cancer patients.** *Anticancer Res* 2005, **25**:4583-4590
47. Kleeberg UR, Suci S, Bröcker EB, Ruitter DJ, Chartier C, Liénard D, Marsden J, Schadendorf D, Eggermont AMM: **Final results of the EORTC 18871/DKG 80-1 randomised phase III trial: rIFN- α 2b versus rIFN-g versus Iscador M versus observation after surgery in melanoma patients with either high-risk primary (thickness >3mm) or regional lymph node metastasis.** *Eur J Cancer* 2004, **40**:390-402

48. Piao BK, Wang YX, Xie GR, Mansmann U, Matthes H, Beuth J, Lin HS: **Impact of complementary mistletoe extract treatment on quality of life in breast, ovarian and non-small cell lung cancer patients. A prospective randomized controlled clinical trial.** *Anticancer Res* 2004, **24**:303-309
49. Cazacu M, Oniu T, Lungoci C, Mihailov A, Cipak A, Klinger R, Weiss T, Zarkovic N: **The influence of Isorel on the advanced colorectal cancer.** *Cancer Biother Radiopharm* 2003, **18**:27-34
50. Borrelli E: **Evaluation of the quality of life in breast cancer patients undergoing lectin standardized mistletoe therapy.** *Minerva Medica* 2001, **92**:105-107
51. Grossarth-Maticsek R, Kiene H, Baumgartner S, Ziegler R: **Use of Iscador, an extract of European mistletoe (*Viscum album*), in cancer treatment: prospective nonrandomized and randomized matched-pair studies nested within a cohort study.** *Altern Ther Health Med* 2001, **7**:57-78
52. Kim M-H, Park Y-K, Lee S-H, Kim S-C, Lee S-Y, Kim C-H, Kim Y-K, Kim K-H, Moon H-S, Song J-S, Park S-H: **Comparative study on the effects of a *Viscum album* (L.) extract (mistletoe) and doxycycline for pleurodesis in patients with malignant pleural effusion. 51th Meeting of The Korean Association of Internal Medicine. Translation by Helixor Heilmittel GmbH.** *Korean Journal of Medicine* 1999, **57**:S121
53. Dold U, Edler L, Mäurer HCh, Müller-Wening D, Sakellariou B, Trendelenburg F, Wagner G: *Krebszusatztherapie beim fortgeschrittenen nicht-kleinzelligen Bronchialkarzinom.* Stuttgart, New York: Georg Thieme Verlag 1991
54. Salzer G, Danmayr E, Wutzlhofer F, Frey S: **Adjuvante Iscador-Behandlung operierter nicht kleinzelliger Bronchuskarzinome.** *Dtsch Zschr Onkol* 1991, **23**:93-98
55. Gutsch J, Berger H, Scholz G, Denck H: **Prospektive Studie beim radikal operierten Mammakarzinom mit Polychemotherapie, Helixor und unbehandelter Kontrolle.** *Dtsch Zschr Onkol* 1988, 94-100
56. Salzer G: **30 Jahre Erfahrung mit der Misteltherapie an öffentlichen Krankenanstalten.** In: *Misteltherapie. Eine Antwort auf die Herausforderung Krebs.* Edited by Leroi R. Stuttgart, Verlag Freies Geistesleben 1987, 173-215
57. Douwes FR, Wolfrum DI, Migeod F: **Ergebnisse einer prospektiv randomisierten Studie: Chemotherapie versus Chemotherapie plus "Biological Response Modifier" bei metastasierendem kolorektalen Karzinom.** *Krebsgeschehen* 1986, **18**:155-163
58. Lange O, Scholz G, Gutsch J. **Modulation der subjektiven und objektiven Toxizität einer aggressiven Chemotherapie mit Helixor. Unpublished Report.** 1985.
59. Salzer G, Denck H: **Randomisierte Studie über medikamentöse Rezidivprophylaxe mit 5-Fluorouracil und Iscador beim resezierten Magenkarzinom - Ergebnisse einer Zwischenauswertung.** *Krebsgeschehen* 1979, **11**:130-131
60. Salzer G, Havelec L: **Adjuvante Iscador-Behandlung nach operiertem Magenkarzinom. Ergebnisse einer randomisierten Studie.** *Krebsgeschehen* 1983, **15**:106-110
61. Salzer G: **Prospektiv randomisierte Studie: Operiertes Magenkarzinom - Adjuvante Behandlung mit Iscador.** *Dtsch Zschr Onkol* 1988, **20**:90-93
62. Steuer-Vogt MK, Bonkowsky V, Ambrosch P, Scholz M, Neiß A, Strutz J, Hennig M, Lenartz T, Arnold W: **The effect of an adjuvant mistletoe treatment programme in resected head and neck cancer patients: a randomised controlled clinical trial.** *Eur J Cancer* 2001, **37**:23-31
63. Heiny B-M: **Additive Therapie mit standardisiertem Mistelextrakt reduziert die Leukopenie und verbessert die Lebensqualität von Patientinnen mit fortgeschrittenem Mammakarzinom unter palliativer Chemotherapie (VEC-Schema).** *Krebsmedizin* 1991, **12**:1-14
64. Heiny B-M, Albrecht V: **Komplementäre Therapie mit Mistellektin-1-normiertem Extrakt. Lebensqualitätsstabilisierung beim fortgeschrittenen kolorektalen Karzinom - Fakt oder Fiktion?** *Med Welt* 1997, **48**:419-423
65. Lenartz D, Stoffel B, Menzel J, Beuth J: **Immunoprotective activity of the galactoside-specific lectin from Mistletoe after tumor destructive therapy in glioma patients.** *Anticancer Res* 1996, **16**:3799-3802
66. Lenartz D, Dott U, Menzel J, Schierholz JM, Beuth J: **Survival of glioma patients after complementary treatment with galactoside-specific lectin from mistletoe.** *Anticancer Res* 2000, **20**:2073-2076
67. Brinkmann OA, Lümmen G, Luboldt H-J, Hertle L, Rübben H: **Interferon a, interleukin 2 and 5-fluorouracil compared with mistletoe lectin in metastatic renal cell carcinoma (MRCC).** *Eur Urol* 2000, **37**:152
68. Semiglasov VF, Stepula VV, Dudov A, Lehmacher W, Mengs U: **The standardised mistletoe extract PS76A2 improves QoL in patients with breast cancer receiving adjuvant CMF chemotherapy: a randomised, placebo-controlled, double-blind, multicentre clinical trial.** *Anticancer Res* 2004, **24**:1293-1302
69. Semiglasov VF, Stepula VV, Dudov A, Schnitker J, Mengs U: **Quality of life is improved in breast cancer patients by Standardised Mistletoe Extract PS76A2 during chemotherapy and follow-up: a randomised, placebo-controlled, double-blind, multicentre clinical trial.** *Anticancer Res* 2006, **26**:1519-1530
70. Goebell PJ, Otto T, Suhr J, Rübben H: **Evaluation of an unconventional treatment modality with mistletoe lectin to prevent recurrence of superficial bladder cancer: a randomized phase II trial.** *The Journal of Urology* 2002, **168**:72-75
71. Lümmen G, Brinkmann OA, Luboldt H-J, Hertle L, Rübben H: **Interferon-a, interleukin-2 and 5-fluorouracil versus mistletoe lectin in metastatic renal cell carcinoma: Long-term results.** *Eur Urol* 2001, **39**:121
72. Kienle GS, Kiene H: **Influence of *Viscum Album* L (European Mistletoe) Extracts on Quality of Life in Cancer Patients: A Systematic Review of Controlled Clinical Studies.** *Integr Cancer Ther* 2010, **9**:142-157

73. Horneber MA, Bueschel G, Huber R, Linde K, Rostock M: **Mistletoe therapy in oncology.** *Cochrane Database Syst Rev* 2008, CD003297
74. Kienle GS, Berrino F, Büssing A, Portalupi E, Rosenzweig S, Kiene H: **Mistletoe in cancer - a systematic review on controlled clinical trials.** *Eur J Med Res* 2003, **8**:109-119
75. Kienle GS, Kiene H: **Complementary Cancer Therapy: A Systematic Review of Prospective Clinical Trials on Anthroposophic Mistletoe Extracts.** *Eur J Med Res* 2007, **12**:103-119
76. Kienle GS, Glockmann A, Schink M, Kiene H: **Viscum album L. extracts in breast and gynaecological cancers: a systematic review of clinical and preclinical research.** *Journal of Experimental & Clinical Cancer Research: CR* 2009, **28**:79
77. Kienle GS, Glockmann A, Grugel R, Hamre HJ, Kiene H: **Klinische Forschung zur Anthroposophischen Medizin – Update eines Health Technology Assessment-Berichts und Status Quo.** *Forsch Komplementmed* 2011, **18**:269-282
78. Mabed M, El-Helw L, Sharma S: **Phase II study of viscum fraxini-2 in patients with advanced hepatocellular carcinoma.** *Br J Cancer* 2004, **90**:65-69
79. Mahfouz MM, Ghaleb HA, Zawawy A, Scheffler A: **Significant tumor reduction, improvement of pain and quality of life and normalization of sleeping patterns of cancer patients treated with a high dose of mistletoe.** *Ann Oncol* 1998, **9**:129
80. Mahfouz MM, Ghaleb HA, Hamza MR, Fares L, Moussa L, Moustafua A, El-Za Wawy A, Kourashy L, Mobarak L, Saed S, Fouad F, Tony O, Tohamy A: **Multicenter open labeled clinical study in advanced breast cancer patients. A preliminary report.** *Journal of the Egyptian Nat Cancer Inst* 1999, **11**:221-227
81. Orange M, Fonseca M, Lacey A, von Laue HB, Geider S: **Durable tumour responses following primary high-dose induction with mistletoe extracts: Two case reports.** *Eur J Integr Med* 2010, **2**:63-69
82. Orange M, Lacey A, Fonseca M, von Laue HB, Geider S, Kienle GS: **Durable Regression of Primary Cutaneous B-cell Lymphoma following Fever-inducing Mistletoe Treatment - Two Case Reports.** *Global Adv Health Med* 2012, **1**:16-23
83. Werthmann P, Sträter G, Friesland H, Kienle GS: **Durable Response of Cutaneous Squamous Cell Carcinoma Following High-dose Peri-lesional Injections of Viscum album Extracts – A Case Report.** *Phytomedicine* 2013, **20**:324-327
84. Kienle GS, Kiene H: **Complementary cancer therapy: a systematic review of prospective clinical trials on anthroposophic mistletoe extracts.** *Eur J Med Res* 2007, **12**:103-119
85. Seifert G, Tautz C, Seeger K, Henze G, Laengler A: **Therapeutic use of mistletoe for CD30+ cutaneous lymphoproliferative disorder/lymphomatoid papulosis.** *Journal of the European Academy of Dermatology and Venereology* 2007, **21**:558-560
86. Shakeel M, Trinidad A, Geider S, Ah-See KW: **The case for mistletoe in the treatment of laryngeal cancer.** *The Journal of Laryngology & Otology* 2014, **128**:302-306
87. Werthmann P, Helling D, Heusser P, Kienle GS: **Tumour response following high-dose intratumoural application of Viscum album on a patient with adenoid cystic carcinoma.** *BMJ Case Reports* 2014, doi: 10.1136/bcr-2013-203180
88. Kienle GS: **Gibt es Gründe für Pluralistische Evaluationsmodelle? Limitationen der Randomisierten Klinischen Studie.** *Z ärztl Fortbild Qual Gesundh wes* 2005, **99**:289-294
89. Kienle GS, Albonico HU, Fischer L, Frei-Erb M, Hamre HJ, Heusser P, Matthiessen PF, Renfer A, Kiene H: **Complementary Therapy Systems and their Integrative Evaluation.** *Explore* 2011, **7**:175-187
90. Kienle GS, Grugel R, Kiene H: **Safety of higher dosages of Viscum album L. in animals and humans - systematic review of immune changes and safety parameters.** *BMC Complement Altern Med* 2011, **11**:72
91. Steele ML, Axtner J, Happe A, Kröz M, Matthes H, Schad F: **Adverse Drug Reactions and Expected Effects to Therapy with Subcutaneous Mistletoe Extracts (Viscum album L.) in Cancer Patients.** *Evidence-Based Complementary and Alternative Medicine* 2014, **2013**:724258
92. Stein GM, Pfüller U, Schietzel M, Büssing A: **Toxic proteins from European mistletoe (Viscum album L.): increase of intracellular IL-4 but decrease of IFN-g in apoptic cells.** *Anticancer Res* 2000, **20**:1673-1678
93. Stein GM, Berg PA: **Adverse effects during therapy with mistletoe extracts.** In: *Mistletoe. The Genus Viscum.* Edited by Büssing A. Amsterdam, Hardwood Academic Publishers 2000, 195-208